




Throughout this price list, photographs are used to illustrate specific aspects of the seats. It is likely that not all details of the products pictured (i.e. armrest specification, plywood panels, etc) will be an exact match with the products you might be interested in. Please check the written details to confirm the exact specification and in case of doubt, contact us.

Foldable Seating





Retractable Seating
BENCH



Standard ConfigurationFully upholstered back /
Upholstered fixed seat



Structure: Metal Inner Structure

for seat & back.

Options: Outer Plywood Back

Panel

Row Rise: 300mm (min) -

350mm (max)

Envelope: 200mm

Row Depth: 850mm (min)

Above: Standard Configuration



Retractable Seating

SPACE PACK



Standard Configuration

Back with <u>exposed metal plate</u> / No arms. Fully upholstered fixed seat



Structure: Metal Inner Structure

for seat & back.

Options: Outer Plywood Back Panel / Fully Upholstered back **Row Rise:** 300mm (min) -

350mm (max)

Envelope: 190mm (closed) 550mm (min when open) **Row Depth:** 850mm (min)

Above: Standard Configuration





Standard Configuration
Seat and back plywood panel /
No arms.



Structure: Metal Support &

folding hinges.

Options: Upholstered seat /


Upholstered back
Row Rise: 300mm (min) -

350mm (max)

Envelope: 175mm (closed) 530mm (min when open) **Row Depth:** 820mm (min)

Above: Standard Configuration







Retractable Seating

SPACE PACK with ARMS



Standard Configuration

Back with exposed metal plate / Plastic arms / Fully upholstered fixed seat



Structure: Metal Inner Structure

for seat & back.

Options: Wooden Arms / Upholstered Arms / Outer Plywood Back Panel / Fully Upholstered back / Any RAL steel

color

Row Rise: 300mm (min) -

350mm (max)

Row Depth: 850mm (min)
Envelope 190mm (folded)
550mm (min when open)

<u>Above: Standard Configuration +</u> **wooden arm**



Retractable Seating

SPACE WOOD UPHOLSTERED



Standard Configuration

Upholstered seat & back with outer plywood panel. Wooden arms. Tip up seat by counterweight.




Structure: Plywood inner panel for seat & back. Aluminum Standards with synchro system. **Options:** Upholstered Arms / **Envelope** 165mm (outer back

and seat panel)

Seat Centres: 480-550mm **Row Depth:** 850mm (min)

Above: Standard Configuration



Retractable Seating

SPACE MAX



Standard Configuration Back with **exposed metal plate**. Plastic arms. Fully upholstered tip up seat by counterweight.



for seat & back. Aluminum Standards with synchro system. **Options:** Longer Plastic Arms / Wooden Arms / Longer Wooden Arms / Upholstered Arms / Outer Plywood Back Panel / Fully Upholstered back / Outer Plywood Seat Panel / Outer Back pp Shell / Outer Seat pp Shell **Envelope** 165mm (fabric) 180mm (outer back panel) 195mm (outer seat & back panels)

Row Depth: 850mm (min) Above: Standard Configuration +

wooden arm + outer back plywood panel



Retractable Seating



Standard Configuration Back with **outer plastic shell**. Plastic arms. Tip Up seat with outer plastic shell by counterweight



Structure: Metal Inner Structure for seat & back. Aluminum Standards with synchro system. **Options:** Any RAL plastic colour /Wooden Arms / Longer Plastic Arms / Upholstered Arms / **Envelope** 180mm (outer back shell & upholster seat) 195mm (outer seat & back shells) Row Depth: 850mm (min)

Above: Standard Configuration + longer plastic arm



Retractable Seating

SPACE MAX Classic



Standard Configuration Round back with exposed metal plate. **Plastic arms.** Fully

counterweight



Structure: Metal Inner Structure for seat & back. Aluminum Standards with synchro system. **Options:** Longer Plastic Arms / Wooden Arms / Longer Wooden Arms / Upholstered Arms / Outer

Plywood Back Panel / Fully Upholstered back / Outer Plywood Seat Panel

Envelope 165mm (fabric) 180mm (outer back panel) 195mm (outer seat & back panels)

Row Depth: 850mm (min)

Above: Standard Configuration + outer back plywood panel



Retractable Seating
SPACE CUBE



Standard Configuration
Back with exposed metal plate.
Wooden arms. Fully upholstered tip up seat by counterweight



Structure: Metal Inner Structure for seat & back. Aluminum
Standards with synchro system.
Options: Upholstered Arms /
Outer Plywood Back Panel / Fully
Upholstered back / Outer
Plywood Seat Panel /
Envelope 165mm (fabric)
180mm (outer back panel)
195mm (outer seat & back panels)

Row Depth: 850mm (min)

Above: Standard Configuration + outer back plywood panel



Retractable Seating
SPACE PLUS



Standard Configuration
High back with exposed metal plate. Long Plastic arms. Fully upholstered tip up seat by counterweight. Curved stitching.



for seat & back. Aluminum
Standards with synchro system.

Options: Wooden Arms /
Upholstered Arms / Outer
Plywood Back Panel / Fully
Upholstered back / Outer
Plywood Seat Panel //Slow return
folding system with dumper
Envelope 165mm (fabric)
180mm (outer back panel)
195mm (outer seat & back
panels)

Row Depth: 850mm (min)

<u>Above: Standard Configuration +</u>
<u>timber arm</u>



Retractable SeatingSPACE LUX



Standard Configuration
Fully Upholstered High Curved
back. Long Wooden arms. Fully
upholstered curved tip up seat
by counterweight. Double
stitching.



for seat & back. Aluminum
Standards with synchro system.
Options: Upholstered Arms /
Outer Plywood Back Panel /
Outer Plywood Seat Panel /Slow
return folding system with
dumper

Envelope 215mm (fabric) 230mm (outer back panel) 245mm (outer seat & back panels)

Row Depth: 850mm (min)

Above: Standard Configuration



Retractable Seating
SPACE CLUB



Standard Configuration
Fully upholstered wide back.
Long wooden arms. Fully
upholstered wide tip up seat by
counterweight



for seat & back. Aluminum
Standards with synchro system.

Options: Upholstered Arms /
Outer Plywood Back Panel /
Outer Plywood Seat Panel / Outer
Back Shell / Outer Seat Shell /
Envelope 200mm (fabric)
215mm (outer back panel)
230mm (outer seat & back panels)

Row Depth: 900mm (min)

<u>Above: Standard Configuration +</u>
<u>timber arm</u>



Retractable Seating SPACE CLUB - Sports



Standard Configuration Wide back with outer plastic shell. Long Plastic arms. Wide tip up seat with outer plastic shell by counterweight



Structure: Metal Inner Structure for seat & back. Aluminum Standards with synchro system. Options: Wooden Arms / Upholstered Arms / Outer Plywood Back Panel / Fully Upholstered back / Outer Plywood Seat Panel **Envelope** 220 (outer back shell & upholster seat) 240mm (outer seat & back shells)

Above: Standard Configuration



Retractable Seating



Standard ConfigurationFully upholstered back. Fully upholstered tip up seat. **No arms.**



Structure: Metal Inner Structure for seat & back. Laser cut metal plate standards.

Options: Outer Plywood
Backrest panel / Seat Panel /

Envelope 180mm (outer back plywood panel) 195mm (outer plywood panel for seat & back)
Row Depth: 850mm (min)

Above: Standard Configuration + outer wooden panel



Retractable Seating

TIP with ARMS



Standard Configuration

Fully upholstered back. Solid wooden arms (not synchronised). Fully upholstered tip up seat.



Structure: Metal Inner Structure for seat & back. Laser cut metal plate standards.

Options: Outer Plywood Back/ Seat plywood panel / Upholstered arms

Envelope 180mm (outer back plywood panel) 195mm (outer plywood panel for seat & back)
Row Depth: 850mm (min)

<u>Above: Standard Configuration +</u> <u>upholstered arm</u>



Retractable Seating MONTBLANC



Standard Configuration

Fully upholstered back. Solid wooden arms (not synchronised). Fully upholstered tip up seat.



Structure: Metal Inner Structure for seat & back. Laser cut metal plate standards.

Options: Outer Plywood Back/ Seat plywood panel / Upholstered arms

Envelope 180mm (outer back plywood panel) 195mm (outer plywood panel for seat & back)
Row Depth: 850mm (min)

Above: Standard Configuration



Retractable Seating

PERSEO MAX



Standard Configuration

Fully Upholstered standards, back and seat. Counterweight tipping system.



Structure: Metal Inner Structure for seat & back. Upholstered wooden boxed standards.

Options: Outer Plywood Back/ Seat plywood panel

Envelope 200mm (upholstered seat & back) 220mm (outer plywood back panel) 230mm

(outer back & seat panel) **Row Depth:** 900mm (min)

Above: Standard Configuration



Retractable Seating

PERSEO MAX WOOD



Standard Configuration

Timber standards, outer plywood panel for seat & back.
Counterweight tipping system.



Structure: Metal Inner Structure for seat & back. Wooden standards.

Options: Upholstered arm pads.
Envelope 200mm (upholstered seat & back) 220mm (outer plywood back panel) 230mm (outer back & seat panel)
Row Depth: 900mm (min)

Above: Standard Configuration



Retractable Seating



Standard Configuration Back with **exposed metal plate**. **Timber arms with writing** tablet. Fully upholstered tip up seat by counterweight



Structure: Metal Inner Structure for seat & back. Aluminum Standards with synchro system. **Options:** Longer Plastic Arms / Wooden Arms / Longer Wooden Arms / Upholstered Arms / Outer Plywood Back Panel / Fully Upholstered back / Outer Plywood Seat Panel / Outer Back pp Shell / Outer Seat pp Shell **Envelope** 200mm (fabric) 215mm (outer back panel) 230mm (outer seat & back panels)

Row Depth: 850mm (min)

Above: Standard Configuration

Freestanding Options





Freestanding Options
MATRIX



Standard Configuration
Back with exposed metal plate.
Plastic arms. Fully upholstered tip up seat by counterweight
Groups of 2 and 3 chairs.
Duplicated arms.

Carts for 36 chairs in groups of 3.

Long freestanding plates with silicone teardrops.



Structure: Metal Inner Structure for seat & back. Aluminum Standards with synchro system. **Options:** Space Max, Sports, Classic, Cube, Plus, Club Tip, Montblanc, Perseo Max and Tablet.

Envelope 165mm (fabric) 180mm (outer back panel) 195mm (outer seat & back panels)

Row Depth: 800mm (min)

Above: Standard Configuration + timber arm



Freestanding Options

TEMPORARY FIXING



Standard ConfigurationBack with **exposed metal plate**.

Plastic arms. Fully upholstered tip up seat by counterweight Groups of 2 and 3 chairs.

Duplicated arms.

Oval plates with temporary fixing.



Structure: Metal Inner Structure for seat & back. Aluminum
Standards with synchro system.
Options: Space Max, Sports,
Classic, Cube, Plus, Club Tip,
Montblanc and Tablet.
Envelope 165mm (fabric)
180mm (outer back panel)
195mm (outer seat & back

Row Depth: 800mm (min)

Above: Standard Configuration + timber arm



Freestanding Options NON DUPLICATED ARM



Standard Configuration Back with **exposed metal plate**. **Timber arms.** Fully upholstered tip up seat by counterweight Groups of 2 and 3 chairs. **Non Duplicated arms - concealed** laser plates



Structure: Metal Inner Structure for seat & back. Aluminum Standards with synchro system. **Options:** Space Max, Sports,

Classic, Cube, Plus, Club Tip, Montblanc,

Envelope 165mm (fabric) 180mm (outer back panel) 195mm (outer seat & back panels)

Row Depth: 800mm (min)

Above: Standard Configuration



Freestanding Options

CASTORS & CENTRAL PEDESTAL




Standard Configuration Back with **exposed metal plate**. Plastic arms. Fully upholstered tip up seat by counterweight Groups of 2 and 3 chairs with longer plates & recessed castors. Duplicated arms



Structure: Metal Inner Structure for seat & back. Aluminum Standards with synchro system. **Options:** Space Max, Sports, Classic, Cube, Plus, Club Tip, Montblanc, and Tablet. **Envelope** 165mm (fabric) 180mm (outer back panel) 195mm (outer seat & back panels) Row Depth: 800mm (min)

Above: Standard Configuration +

Multipurpose Systems





Multipurpose Systems

MOTORISED TROLLEYS - SPACE



Standard Configuration

Long metal carts with wheels and motor. Storage under the stage.
Customised construction on project by project basis.



Structure: Metal with wheels for Space series chairs in sets of 2-3 units.

Options: Space Max, Sports, Classic, Cube, Plus, Club Tip, Montblanc, Perseo Max and Tablet.

Height: 900mm (Space Max)

Above: Standard Configuration



Multipurpose Systems

WHEELED



Standard Configuration

Chairs with synchro movement for seat and back assembled on long aluminium beams with pedestals and recessed castors.



Structure: Aluminium rail. Aluminium beam. Pedestals with recessed castors for moving the chairs along the venue.

Options: Space Max, Sports, Classic, Cube, Plus, Club Tip, Montblanc, Perseo Max and Tablet.

Height: 900mm (Space Max)

Above: Standard Configuration +
Plywood Panel for seat and
back



Multipurpose Systems
TRACK



Standard Configuration

Recessed track into the floor with covers. Chairs with synchro movement for seat and back assembled on a long aluminium beam up to 8/10 chairs. Moving pedestals connecting beam & rail.




Structure: Aluminium rail. Aluminium beam. Pedestals with recessed castors for moving the chairs along the venue.

Options: Space Max, Sports, Classic, Cube, Plus, Club Tip, Montblanc, Perseo Max and Tablet.

Height: 900mm (Space Max)

Above: Standard Configuration



Multipurpose Systems

KANGOO Manual



Standard Configuration

Recessed metal box into the floor with folding covers. Sets of 2-5 chairs with synchro movement for seat and back assembled on a metal beam. Folding covers and chairs with gas struts.



Structure: Steel structure. Pedestals with gas struts to fold the chairs down. Folding covers with gas struts.

Options: Space Max, Sports, Classic, Cube, Plus, Club Tip, Montblanc, Perseo Max and Tablet.


Depth: 230mm (Space Max) **Length:** 1100mm (Space Max)

Above: Standard Configuration



Multipurpose Systems

KANGOO Automatic



Standard Configuration

Metal substructure with recessed seats and folding flooring covers. Long groups of chairs with synchro movement for seat and back assembled on aluminium beams. Folding covers and chairs operated with electric actuators.




Structure: Steel structure. Electric actuators for recessing the chairs into the floor and operation the folding covers.

Options: Space Max, Sports, Classic, Cube, Plus, Club Tip, Montblanc, Perseo Max and Tablet.

Depth: 379mm (Space Max) **Length:** 1000mm (Space Max)

Above: Standard Configuration

TransformationSolutions





Multipurpose Systems

CHAIRS FOR SPIROLIFT by GALA



Standard Configuration

Synchronised movement of seat, arm and back. Customised construction on project by project basis.



Structure: Steel structure for seat and back. Special Pedestals adapted to the dimensions of the Spirolift platform.

Options: Space Max, Sports, Classic, Cube, Plus, Club Tip, Montblanc, Perseo Max and Tablet.

Height: 900mm (Space Max)

Above: Standard Configuration



Multipurpose Systems

CHAIRS FOR QSK by SERAPID



Standard Configuration

Rocking back. Customised construction on project by project basis.



Structure: Steel structure for seat and back. Special Standards adapted to the dimensions of the QSK platforms

Options: All models
Height: 900mm (Rialto)

Above: Standard Configuration

#loveyourvenue